

# FRANCY

UP & DOWN


Bulkhead lamp with no visible screws and UP&DOWN light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use **included**. Version with motion sensor available. Insulation class II, Protection rating IP66.




*Plafoniera senza viti a vista con emissione della luce UP&DOWN. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con incluse lampadine LED a filamento adatte ad uso in ambiente esterno, approvate TÜV, di lunga durata ed elevata efficienza. Disponibile anche con sensore di movimento. Classe di isolamento II, grado di protezione IP66.*



1A1.000.F1L





**FRANCY - COMPONENTS**

**IP 66**



**COVER** with no visible screws made of shockproof resin material UV-rays stabilized. Designed for getting UP&DOWN or side light emission.

**COVER** senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV. Disegnata per ottenere un'emissione laterale della luce.



**DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.


**DIFFUSORE** realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.



**BASE** made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 lampholder and with silicone rubber gasket to ensure high protection against external agents.

**BASE** realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalampana E27 e di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

**FRANCY**



**Dimensions and weight**

Width: 130 mm  
Height: 300 mm  
Depth: 90 mm  
Weight: 0,7 Kg

**Moulded Colours:**

☒ Black ☒ Grey ☒ White

**Diffuser PMMA:**

☐ Opal

**E27**

**E27 with sensor**



Bulkhead supplied **fully pre-wired** with **E27** lampholder. Provided with TÜV approved, long-life and efficient **LED filament lamps** suitable for outdoor use with driver fully protected against heat and humidity by silicone paste.

\*ADD. SUFFIX

|  |             |                |        |      |
|--|-------------|----------------|--------|------|
|  | <b>6 W</b>  | <b>800 Lm</b>  | 4000 K | .F1L |
|  |             |                | 2700 K | .F1R |
|  | <b>8 W</b>  | <b>1000 Lm</b> | 4000 K | .M1L |
|  |             |                | 2700 K | .M1R |
|  | <b>12 W</b> | <b>1500 Lm</b> | 4000 K | .N1L |
|  |             |                | 2700 K | .N1R |

Bulkhead supplied **fully pre-wired** with **E27** lampholder and **LED filament lamps** as an option. Complete with microwave daylight and motion **sensor**. Sensor operating voltage: 220-240V. (120V version available on demand).

\*ADD. SUFFIX

|  |             |                |        |      |
|--|-------------|----------------|--------|------|
|  | <b>6 W</b>  | <b>800 Lm</b>  | 4000 K | .S1L |
|  |             |                | 2700 K | .S1R |
|  | <b>8 W</b>  | <b>1000 Lm</b> | 4000 K | .T1L |
|  |             |                | 2700 K | .T1R |
|  | <b>12 W</b> | <b>1500 Lm</b> | 4000 K | .V1L |
|  |             |                | 2700 K | .V1R |

**LED LAMPS**


More technical details about TÜV approved Fumagalli LED Lamps on page 512.


\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE



**FRANCY**

UP&amp;DOWN





| FRANCY                                |                                   |             |
|---------------------------------------|-----------------------------------|-------------|
| 1A1.000.F1L                           | <b>6W</b>                         | 1A1.000.F1R |
| 1A1.000.M1L                           | <b>8W</b>                         | 1A1.000.M1R |
| 1A1.000.N1L                           | <b>12W</b>                        | 1A1.000.N1R |
| 4000K                                 | E27 FILAMENT LED<br>LAMP INCLUDED | 2700K       |
| <p>Pcs 24<br/>Kg 18,2<br/>mc 0,12</p> |                                   |             |