



MARTA 90

UP & DOWN

Up&down bulkhead lamp made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Available with single opening for one side light emission or with double opening for up&down light emission. Supplied as standard with TÜV approved, long-life and efficient **GU10 LED lamps**. Insulation class II, Protection rating IP55.

Plafoniera up&down realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con apertura singola ed emissione della luce in una sola direzione o con apertura doppia ed emissione della luce up&down. Fornito nella versione standard con inclusa lampadina a LED GU10 approvata TÜV di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.



2A4.000.U2L





MARTA 90 - COMPONENTS

IP55




BODY made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Available with double openings for up&down light emission or with single opening for one side light emission.

CORPO in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disponibile con apertura doppia ed emissione della luce UP&DOWN o con apertura singola ed emissione della luce in una sola direzione.

DIFFUSER made of shockproof resin material (PC) complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambience.

DIFFUSORE in resina antiurto (PC) completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



BASE made of shockproof resin material suitable for the electrical devices fixation and provided with single or double GU10 lampholder.

BASE in resina antiurto predisposta per il fissaggio degli accessori elettrici. Fornita completa di portalampade GU10 singolo o doppio.

MARTA 90



Dimensions and weight

Width: 92 mm
Height: 170 mm
Depth: 80 mm
Weight: 0,5 Kg

Moulded colours:

Black White Grey

Diffuser PC:

Frosted Green Orange
Blue

GU10 LED

*ADD. SUFFIX



3,5 W	400 Lm	4000 K	.U1L
		3000 K	.U1R
2x 3,5W 7 W	800 Lm	4000 K	.U2L
		3000 K	.U2R

LED LAMPS



More technical details about TÜV approved Fumagalli LED Lamps on page 512.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

Up&down bulkhead supplied as standard with single or double TÜV approved long-life and efficient **GU10 LED lamps included**. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** GU10 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

3,5W
400 Lm

=


50W
halogen

SAVE 92%

MARTA 90

UP & DOWN





MARTA 90-1L

1A4.000.U1L	3,5W	1A4.000.U1R
4000K	GU10 LED LAMP INCLUDED	3000K
Pcs 36 Kg 17,3 mc 0,12		

MARTA 90-2L

2A4.000.U2L	2x3,5W	2A4.000.U2R
4000K	2 GU10 LED LAMPS INCLUDED	3000K
Pcs 36 Kg 21,9 mc 0,12		